
Tips and Tricks for VT ablation: Lessons from Adult Cases I:ECG INTERPRETATION


Sedat KÖSE, MD
Department of Cardiology
Liv Hospital
Ankara, TURKEY

- 51 year old female
- Frequent ventricular ectopy and nonsustained VT episodes
- Resistant to metoprolol, verapamil, sotalol, propafenone
- Normal coronary artery anatomy, LVEF:64%



- 30 year old male
- Complaint of palpitation
- Wide QRS complex tachycardia episodes (RBBB/superior axis) resistant to antiarrhythmic drugs
- No organic heart disease






Patient: akak mahmut / vt rf / 1981 File: C:\PAT\mahmut akak\MAHMUT AKAK 005 Comment: purkinje

Offine printed on 06:05:2012 at 19:34:50.
Fite recorded on 24:11:2011 at 23:49:42. Time in fite 12360 msec.

- 48 year old female
- Complaint of presyncope and palpitation for 5 years
- Normal neurological exam
- 24 h Holter ECG: rare (278 beats/24 h) premature ventricular contractions
- No organic heart disease





- 49 year old female
- Palpitation and pre-syncope
- Monomorphic VT episodes resistant to antiarrhythmic drugs
- No organic heart disesae





Patient : korumlu nurten / rvot / 1963. File : C:VPAT\nurten korumlu\NURTEN KORUMLU.003 Comment:


Offline printed on: 08-06-2012 at 19-13-08. File recorded on 28:03:2012 at 15:45:22. Time in file 0 msec.



Version WIN2000/XP : EPTRACER V0.77




- 26 year old female
- Complaint of palpitation
- Non-sustained VT episodes resistant to antiarrhythmics
- Failed ablation history
- No organic heart disease



Patient : asil zubeyde / vt rf / 1985 File : C:\PAT\zubeyde asil\ZUBEYDE ASIL:001 Comment :

Offline printed on: 08-06-2012 at 19:20:32
File recorded on: 28:05:2012 at 18:27:16. Time in file 0 msec.



- 61 year old male
- Complaint of palpitation for almost 30 years
- Frequent episodes of PVC resistant to antiarrhythmics; 25000 pvc/24 hour
- 2 Failed ablation attempts
- LV EF:% 40, moderate mitral regurgitation
- Stabile CAD ,previous 2 coronary stent implantation 1 year ago
- No prior MI



Version Windooskir : EFTRAGER Vo.95



